

Steel Water Tanks

2,000 - 365,000 L



**WATER
TANKS**



Quality, strength, durability, efficiency & style of steel

Kingspan manufactures and supplies long lasting, quality, AQUAPLATE® steel water tanks and accessories for Australian homes and businesses. We've been doing it for over 85 years.



- » Australian made
- » Genuine Bluescope AQUAPLATE® Steel
- » Tanks are WaterMark certified
Licence number 23111
- » Meet the requirements of Australian Standard ASNZ4020:2018
- » Slimline, Modline, Round and Square profiles
- » Industry leading 20 year corrosion warranty and 10 year construction warranty

Steel Water Tanks in WA come with:

- » Inlet strainer with light guard
- » Fitted overflow
- » Fitted 25mm & 50mm outlets with WaterMarked brass ball valve
- » Finished in Galvanised or a Colorbond® colour of your choice


The inlet, outlet and overflow are fitted in a generic configuration.



Please Note: Our WA factory stocks a limited range of colours and sizes. For custom sizes and Colorbond® colours, there may be a 8-10 week lead time.



Choose the width, length and height to suit your space, or pick from some of our most popular sizes.




Slimline

Tank capacities
2,000 - 10,000 litres

Here are some of our most popular tank sizes in the Slimline range.

Tank capacities (litres)	2000*	3000*	4000*	10,000*
Width (mm)	700	800	1000	1150
Length (mm)	1700	2200	2400	4000
Height (mm)	1860	1860	1860	2320
Weight (kg)	74	93	108	201

* Nominal volume prior to fitting size and location on tank.




Modline

Tank capacities
2,000 - 10,000 litres

Here are some of our most popular tank sizes in the Modline range.

Tank capacities (litres)	2000*	3000*	4000*	10,000*
Width (mm)	800	800	800	1150
Length (mm)	1400	2000	2600	4000
Height (mm)	2020	2020	2020	2250
Weight (kg)	71	94	117	206

* Nominal volume prior to fitting size and location on tank.




Round

Tank capacities
2,000 - 10,000 litres

Here are some of our most popular tank sizes in the Round range.

Tank capacities (litres)	3000*	5000*	8000*	10 000*
Height (mm)	1860	1860	1860	1860
Diameter (mm)	1500	1900	2400	2700
Weight (kg)	93	120	174	201

* Nominal volume prior to fitting size and location on tank.



Square

Tank capacities
2,000 - 7,800 litres

Here are some of our most popular tank sizes in the Square range.

Tank capacities (litres)	2000*	3000*	4000*	5000*
Width (mm)	1100	1300	1500	1700
Height (mm)	2020	2020	2020	2020
Weight (kg)	70	97	112	128

* Nominal volume prior to fitting size and location on tank.

Colours

Choose from a range of Colorbond® colours, or go for a Galvanised steel finish.



The COLORBOND® steel colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However varying light conditions and limitations of the printing process may affect colour tones. Colorbond® colours are available as genuine or painted colours. Note: The full range of Colorbond® colours are not available in all states. Please check before ordering.

Optional extras

Kingspan High-flow Filter

- » Australian first, developed and manufactured exclusively by Kingspan.
- » Ideal for capturing water from the entire roof area.
- » Reduces the risk of water backflowing from gutters during heavy rainfall.
- » When the tank is full, roof water is redirected to avoid overflow.
- » Manages flow rates up to 600L per minute.



Fire Fittings

- » Compliant fittings for state regulations.
- » Fire kits include suction lines, adaptors, and pressure hoses to meet fire authority requirements.



Need a larger tank?

Ask about Kingspan's Rhino & Heritage Commercial and Rural range of water tanks. 26,000 to 365,000 litres and up to 2.3 million litres on custom commercial tanks.



Water Tank

Order/Enquiry form

Enquiry – For an Enquiry, tick this box, fill in the Customer Details and send this form to ruraltanks@kingspan.com

OR

Order – Email completed order form with copy of the purchase order to ruraltanks@kingspan.com

SHAPE

Slimline

Modline

Round

Square

SIZE

Width

Length

Height

FITTINGS POSITION

Inlets

Default position

OR

Outlets

Default position

OR

Overflow

Default position


OR

Slimline Tank Fitting Positions

Inlet default position: A

Outlet default position: 6

Overflow default position: 12




Modline Tank Fitting Positions

Inlet default position: A

Outlet default position: 6

Overflow default position: 12




Round Tank Fitting Positions

Inlet default position: 12

Outlet default position: 1

Overflow default position: 12




Square Tank Fitting Positions

Inlet default position: H

Outlet default position: 1

Overflow default position: 12



04 COLOUR

Galvanised

OR

Colorbond® Colour

05 ACCESSORIES

06 CUSTOMER DETAILS

Date

Purchase Order

Name

Site Address

Email

Phone

Special Instructions

Mobile

We take every care to ensure that the information in this document is accurate at the point of publication. Specification may vary (within a small parameter) due to manufacturing process variations or environmental conditions. All images are for illustration purposes only and should not be taken as binding. The actual product may vary, and specification/ dimensions/ colour/ other attributes may differ.

©Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group plc in the UK, Ireland and other countries. All rights reserved.
Registered Office: Kingspan Water & Energy Pty Limited,
3 Herbert Place, Smithfield, NSW 2164